10

15

CLAIMS

- 1 Polymer composition, characterized in that it comprises
- 1) a polymer (P1) comprising at least 50% by weight of monomeric units derived from an ethylenically unsaturated monomer (M1), and
- 5 2) at least one co-oligomer (O1) comprising at least:
 - a) a component (A) comprising at least one monomeric unit identical to that derived from the monomer (M1) on which the polymer (P1) is based, and
 - b) a component (B) comprising at least one monomeric unit (m2), derived from an ethylenically unsaturated monomer, carrying at least one group chosen from the following groups:
 - -C_aH_{2a+1} with a between 6 and 30,
 - (CH₂)_b-C_cF_{2c+1} with b between 1 and 11 and c greater than or equal to 5,
 - (CH₂)_d-(Si(CH₃)₂-O)_e-Si(CH₃)₃ with d between 1 and 11 and e between 1 and 1000,
 - -COOH,
 - -SO₃H, and
 - the phosphonate groups -PO(OH)(OR₁) with R₁ being a hydrogen atom or an alkyl radical containing from 1 to 11 carbon atoms.
- 20 2 Composition according to Claim 1, characterized in that the polymer(P1) is a halogenated polymer.
 - 3 Composition according to either one of Claims 1 and 2, characterized in that the polymer (P1) is a chlorinated polymer.
- 4 Composition according to any one of Claims 1 to 3, characterized in that the polymer (P1) is a vinylidene chloride polymer.

WO 2005/028557 PCT/EP2004/052272

- 5 Composition according to any one of Claims 1 to 4, characterized in that component (A) of the co-oligomer (O1) comprises at least one monomeric unit identical to that of vinylidene chloride.
- 6 Polymer composition according to any one of Claims 1 to 5,
 5 characterized in that component (B) of the co-oligomer (O1) comprises at least one monomeric unit (m2), derived from an ethylenically unsaturated monomer, carrying at least one group chosen from the following groups:
 - -(CH₂)_b-C_cF_{2c+1} with b between 1 and 11 and c greater than or equal to 5, and
- the phosphonate groups -PO(OH)(OR₁) with R₁ being a hydrogen atom or an alkyl radical containing from 1 to 11 carbon atoms.
 - 7 Composition according to Claim 6, characterized in that component (B) of the co-oligomer (O1) comprises at least one monomeric unit (m2), derived from an ethylenically unsaturated monomer, carrying at least one group chosen from the groups -(CH₂)_b-C_cF_{2c+1} with b between 1 and 11 and c greater than or equal to 5.

15

20

25

- 8 Composition according to Claim 6, characterized in that component (B) of the co-oligomer (O1) comprises at least one monomeric unit (m2), derived from an ethylenically unsaturated monomer, carrying at least one group chosen from the phosphonate groups -PO(OH)(OR₁) with R_1 being a hydrogen atom or an alkyl radical containing from 1 to 11 carbon atoms.
- 9 Process for preparing a composition according to any one of Claims 1 to 8, characterized in that it comprises the mixing of the polymer (P1) and of the co-oligomer(s) (O1) in at least one solvent, the dispersion of the co-oligomer(s) (O1) in an aqueous dispersion of the polymer (P1), or the mixing of the polymer (P1) and of the co-oligomer(s) (O1) by premixing.
- 10 Use of a composition according to any one of Claims 1 to 8, for coating metal, polymer, paper or cellophane surfaces, for producing thin single-layer or multilayer films or for producing moulded objects.
- 11 Process for coating metal, polymer, paper or cellophane surfaces by
 30 means of the polymer composition according to any one of Claims 1 to 8,
 according to which the polymer composition is coated onto said surfaces,

colaminated with said surfaces or coextruded with the material forming said surfaces.

12 - Articles or parts of articles prepared by means of the polymer composition according to any one of Claims 1 to 8.